

Milesight Network Keyboard



DATASHEET

KEY FEATURES

- ▶ Support Network connection, which is a truly convenient way for easy connection and control of Milesight NVR and PTZ camera
- ▶ Built-in Web Server can support the use of browser to easily manage and maintain the keyboard
- ▶ Support 4-axis variable speed joystick
- ▶ Designed with a LCD screen on operation panel, it is easy to display operations
- ▶ Support to control up to 110 devices
- ▶ Shortcut keys for PTZ control, such as preset, patrol and pattern
- ▶ Shortcut keys for NVR control, such as snapshot and audio operation
- ▶ Shortcut keys for recording and playback control, such as record, play, stop, pause, speed up and speed down
- ▶ Shortcut keys for light control operation
- ▶ Easy to operate, stable performance



Milesight Network Keyboard



Model		MS-K01
Control Mode		IP-based
Control Device		Milesight NVR and PTZ camera
LCD Screen		58X44(2.8") Blue Screen
Joystick		4-axis joystick
Network		IPV4, HTTP, TCP, MSSP
External Interface	Network Interface	1*RJ45 100M/1000M
	Serial Interface	1*RS-232
General	Working Temperature	-10℃~55℃
	Working Humidity	20%~80%
	Power Supply	PoE (802.3af) / DC 12V 2A
	Power Consumption	5W MAX
	Weight	1.56Kg
	Dimensions	321mm(W)x179mm(D)x109mm(H)
	Warranty	2 Years

Milesight Network Keyboard




Appearance

Operation Panel



1. Operation Shortcut Keys 2. Shuttle 3. LCD Screen 4. Joystick

Interfaces



1. RS-232 2. LAN 3. DC 12V 4. Power

Milesight Technology | www.milesight.com
Contact Us: sales@milesight.com support@milesight.com

Add: 220 NE 51st Street, Oakland
Park, Florida 33334, USA
Tel: +1-800-561-0485

Add: 925, Anyang SK V1 Center, LS-ro
116beon-gil, Dongan-gu, Anvang-si, Korea
Tel: +82-31-990-7732

Add: Building C09, Software Park
Phase III, Xiamen 361024, Fujian, China
Tel: +86-592-5922772

